

MEDICIÓN AUXILIAR

RED DE SANEAMIENTO

MEDICIÓN. RED DE SANEAMIENTO

TALUD 0.1

NOMBRE	PERFIL	D parcial	D Int	D ext	BASE	H inicio	H final	H medio	EI	Rec. Med	S Exc	S Ar/Gr	S Horm	S Sselec	V Exc	V Ar/Gr	V Sselec	V Horm
S1	H1-1	50.000	0.388	0.4	1.1	3.107	3.275	3.191	0.15	2.641	4.528	0.693	0.165	3.544	226.417	34.667	177.217	8.250
	H1-2	50.000	0.388	0.4	1.1	4.075	3.430	3.753	0.15	3.203	5.536	0.693	0.165	4.552	276.794	34.667	227.594	8.250
	H1-3	50.000	0.388	0.4	1.1	4.230	3.500	3.865	0.15	3.315	5.745	0.693	0.165	4.761	287.266	34.667	238.066	8.250
S5	H1-4	37.246	0.388	0.4	1.1	3.500	3.702	3.601	0.15	3.500	5.238	0.693	0.165	4.274	195.638	25.824	159.838	6.146
	H1-5	37.246	0.388	0.4	1.1	3.702	3.732	3.717	0.15	3.167	4.471	0.693	0.165	4.467	203.762	25.824	167.112	6.146
	H1-6	37.246	0.388	0.4	1.1	3.732	3.851	3.792	0.15	3.242	5.609	0.693	0.165	4.625	208.908	25.824	172.258	6.146
S-9	H1-7	10.444	0.388	0.4	1.1	3.851	3.885	3.868	0.15	3.318	5.751	0.693	0.165	4.767	60.068	7.241	49.791	1.723
	H1-8	29.463	0.388	0.4	1.1	3.885	3.980	3.933	0.15	3.383	5.873	0.693	0.165	4.889	173.023	20.428	144.031	4.861
	H1-9	29.463	0.388	0.4	1.1	3.980	4.076	4.028	0.15	3.478	6.053	0.693	0.165	5.069	178.338	20.427	149.347	4.861
S-12	H1-10	28.785	0.388	0.4	1.1	4.076	4.161	4.118	0.15	3.568	6.226	0.693	0.165	5.242	166.517	18.433	140.200	4.413
	H1-11	43.000	0.388	0.4	1.1	4.161	4.299	4.230	0.15	3.980	6.942	0.693	0.165	5.458	229.028	29.813	174.714	7.085
	H1-12	43.000	0.388	0.4	1.1	4.299	4.517	4.408	0.15	3.858	6.792	0.693	0.165	5.808	292.074	29.813	249.762	7.095
S-2	V1-1	50.000	0.388	0.4	1.1	2.050	2.046	2.048	0.15	1.498	2.672	0.693	0.165	1.688	133.612	34.667	84.412	8.250
	V1-2	50.000	0.388	0.4	1.1	2.046	2.050	2.048	0.15	1.498	2.672	0.693	0.165	1.688	133.612	34.667	84.412	8.250
S-4	V2-1	50.000	0.388	0.4	1.1	2.050	2.215	2.133	0.15	1.583	2.801	0.693	0.165	1.817	140.025	34.667	90.825	8.250
	V2-2	50.000	0.388	0.4	1.1	2.215	2.050	2.133	0.15	1.583	2.801	0.693	0.165	1.817	140.025	34.667	90.825	8.250
S-6	V3-1	50.000	0.388	0.4	1.1	2.050	2.206	2.128	0.15	1.578	2.793	0.693	0.165	1.808	139.863	34.667	90.463	8.250
	V3-2	50.000	0.388	0.4	1.1	2.206	2.050	2.128	0.15	1.578	2.793	0.693	0.165	1.808	139.863	34.667	90.463	8.250
S-8	V4-1	50.000	0.388	0.4	1.1	2.050	2.070	2.060	0.15	1.510	2.690	0.693	0.165	1.706	134.499	34.667	85.299	8.250
	V4-2	50.000	0.388	0.4	1.1	2.070	2.050	2.060	0.15	1.510	2.690	0.693	0.165	1.706	134.499	34.667	85.299	8.250
S-3	C1-1	50.000	0.388	0.4	1.1	2.050	2.341	2.196	0.15	1.646	2.897	0.693	0.165	1.913	144.854	34.667	95.654	8.250
	C1-2	50.000	0.388	0.4	1.1	2.341	2.638	2.490	0.15	1.940	3.358	0.693	0.165	2.374	167.911	34.667	118.711	8.250
S-7	C1-3	50.000	0.388	0.4	1.1	2.638	2.925	2.782	0.15	2.232	3.833	0.693	0.165	2.849	191.666	34.667	142.466	8.250
	C1-4	50.000	0.388	0.4	1.1	2.925	3.216	3.071	0.15	2.521	4.320	0.693	0.165	3.336	216.017	34.667	167.517	8.250
S-10	C1-5	50.000	0.388	0.4	1.1	3.216	3.479	3.348	0.15	2.798	4.803	0.693	0.165	3.819	240.141	34.667	190.541	8.250
	C1-6	37.342	0.388	0.4	1.1	3.479	3.417	3.448	0.15	2.898	4.982	0.693	0.165	3.998	186.026	25.891	149.281	6.161
S-11	C1-7	37.342	0.388	0.4	1.1	3.417	3.479	3.448	0.15	2.898	4.982	0.693	0.165	3.998	186.026	25.891	149.281	6.161
	C1-8	37.342	0.388	0.4	1.1	3.479	3.479	3.479	0.15	2.929	5.037	0.693	0.165	4.053	188.101	25.891	151.366	6.161
S-28	C1-9	52.291	0.388	0.4	1.1	4.517	4.480	4.498	0.15	3.948	6.972	0.693	0.165	5.988	364.571	36.255	313.117	8.628
	C1-10	51.717	0.388	0.4	1.1	4.480	4.495	4.487	0.15	3.937	6.969	0.693	0.165	5.985	359.397	35.857	308.508	8.533
S-45	C1-11	37.110	0.388	0.4	1.1	4.495	4.506	4.500	0.15	3.950	6.975	0.693	0.165	5.991	259.825	27.330	223.336	8.123
	C1-12	37.110	0.388	0.4	1.1	4.506	4.517	4.511	0.15	3.961	6.998	0.693	0.165	6.014	259.694	27.330	223.178	8.123
S-45	C1-13	12.002	0.388	0.4	1.1	4.517	4.517	4.517	0.15	3.967	7.010	0.693	0.165	6.026	84.132	8.321	72.322	1.980
	C1-14	40.618	0.388	0.4	1.1	4.517	4.517	4.517	0.15	3.967	7.010	0.693	0.165	6.026	284.726	28.162	244.758	6.702
S-64	C1-15	40.618	0.388	0.4	1.1	4.517	4.517	4.517	0.15	3.967	7.010	0.693	0.165	6.026	284.726	28.162	244.757	6.702
	C1-17	12.162	0.388	0.4	1.1	2.049	2.049	2.049	0.15	1.499	2.674	0.693	0.165	1.681	133.344	34.667	84.412	8.250
S-79	C1-18	41.954	0.388	0.4	1.1	2.049	2.050	2.049	0.15	1.499	2.674	0.693	0.165	1.680	112.202	29.088	70.919	6.922
	C1-19	41.954	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	1.691	112.216	29.088	70.933	6.922
S-79	C1-20	41.954	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	1.691	112.230	29.088	70.948	6.922
	C1-21	26.124	0.388	0.4	1.1	2.899	2.899	2.899	0.15	2.349	4.030	0.693	0.165	3.046	105.280	18.113	79.573	4.310
S-91	C1-22	26.124	0.388	0.4	1.1	2.899	2.900	2.900	0.15	2.350	4.030	0.693	0.165	3.046	105.287	18.113	79.581	4.310
	C1-23	42.954	0.388	0.4	1.1	2.899	2.899	2.899	0.15	2.349	4.030	0.693	0.165	3.046	173.096	29.782	130.829	7.087
S-91	C1-24	42.954	0.388	0.4	1.1	2.899	2.899	2.899	0.15	2.349	4.030	0.693	0.165	3.046	173.096	29.782	130.829	7.087
	C1-25	42.954	0.388	0.4	1.1	2.899	2.899	2.899	0.15	2.349	4.030	0.693	0.165	3.046	173.089	29.782	130.823	7.087
S-91	C1-26	42.954	0.388	0.4	1.1	2.899	2.899	2.899	0.15	2.349	4.029	0.693	0.165	3.045	173.083	29.782	130.816	7.087
	C1-27	10.053	0.388	0.4	1.1	2.913	2.912	2.912	0.15	2.362	4.051	0.693	0.165	3.067	40.728	6.970	30.835	1.659
B1	C1-28	37.198	0.388	0.4	1.1	2.912	2.908	2.910	0.15	2.360	4.047	0.693	0.165	3.063	150.548	25.791	113.945	6.138
	C1-29	37.198	0.388	0.4	1.1	2.908	2.904	2.906	0.15	2.356	4.041	0.693	0.165	3.057	150.303	25.791	113.700	6.138
S-13	C1-30	37.373	0.388	0.4	1.1	2.904	2.821	2.862	0.15	2.312	3.968	0.693	0.165	2.984	148.296	25.912	111.521	6.167
	C1-31	26.333	0.388	0.4	1.1	4.283	4.370	4.327	0.15	3.777	6.631	0.693	0.165	5.647	174.621	18.258	148.709	4.345
S-20	C2-1	50.000	0.388	0.4	1.1	2.050	2.217	2.134	0.15	1.584	2.802	0.693	0.165	1.818	140.102	34.667	90.902	8.250
	C2-2	50.000	0.388	0.4	1.1	2.217	2.377	2.297	0.15	1.747	3.054	0.693	0.165	2.070	152.716	34.667	103.516	8.250
S-20	C2-3	41.915	0.388	0.4	1.1	2.377	2.381	2.379	0.15	1.829	3.183	0.693	0.165	2.199	133.410	29.061	92.165	6.916
	C2-4	41.915	0.388	0.4	1.1	2.381	2.379	2.380	0.15	1.830	3.183	0.693	0.165	2.200	133.478	29.061	92.311	6.916
S-39	C2-5	41.915	0.388	0.4	1.1	2.379	2.377	2.378	0.15	1.828	3.181	0.693	0.165	2.197	133.344	29.061	92.209	6.916
	C2-6	12.243	0.388	0.4	1.1	2.650	2.650	2.650	0.15	2.100	3.617	0.693	0.165	2.633	44.289	4.889	32.242	2.020
S-39	C2-7	40.564	0.388	0.4	1.1	2.650	2.650	2.650	0.15	2.100	3.617	0.693	0.165	2.633	146.735	28.124	106.820	6.693
	C2-8	40.564	0.388	0.4	1.1	2.6												

MEDICIÓN AUXILIAR

RED DE SANEAMIENTO

MEDICIÓN RED DE SANEAMIENTO

TALUD 0.1

NOMBRE	PERFIL	D parcial	D int	D ext	BASE	H inicio	H final	H medio	EI	Rec. Med	S Exc	S Ar/Gr	S Horm	S Sselec	V Exc	V Ar/Gr	V Sselec	V Horm
S-44	V14-1	50.000	0.388	0.4	1.1	2.050	2.053	2.051	0.15	1.501	2.677	0.693	0.165	1.693	133.857	34.667	84.657	8.250
	V14-2	50.000	0.388	0.4	1.1	2.053	2.050	2.051	0.15	1.501	2.677	0.693	0.165	1.693	133.857	34.667	84.657	8.250
S-47	H6-1	50.000	0.388	0.4	1.1	2.050	2.195	2.123	0.15	1.573	2.785	0.693	0.165	1.801	139.263	34.667	90.063	8.250
S-48	H6-2	52.182	0.388	0.4	1.1	2.050	2.346	2.272	0.15	1.501	2.722	0.693	0.165	1.693	133.857	34.667	106.620	8.678
S-49	H6-3	10.162	0.388	0.4	1.1	2.349	2.378	2.363	0.15	1.813	1.588	0.693	0.165	1.801	32.092	7.066	22.033	1.677
	H6-4	39.592	0.388	0.4	1.1	2.378	2.493	2.436	0.15	1.886	3.272	0.693	0.165	2.288	129.558	27.451	90.599	6.533
	H6-5	39.592	0.388	0.4	1.1	2.493	2.608	2.550	0.15	2.000	3.456	0.693	0.165	2.472	136.832	27.451	97.874	6.533
S-50	H6-6	39.592	0.388	0.4	1.1	2.608	2.723	2.665	0.15	2.115	3.642	0.693	0.165	2.658	144.211	27.451	105.252	6.533
	H6-7	53.091	0.388	0.4	1.1	2.723	2.898	2.811	0.15	2.261	3.882	0.693	0.165	2.898	206.097	36.810	153.655	8.760
S-51	H7-1	50.000	0.388	0.4	1.1	2.050	2.217	2.134	0.15	1.584	2.202	0.693	0.165	1.818	140.102	34.667	90.902	8.250
	H7-2	50.000	0.388	0.4	1.1	2.217	2.389	2.303	0.15	1.753	2.064	0.693	0.165	2.080	153.184	34.667	103.984	8.250
S-52	H8-1	50.000	0.388	0.4	1.1	2.050	2.195	2.123	0.15	1.573	2.785	0.693	0.165	1.801	139.263	34.667	90.063	8.250
	H8-2	50.000	0.388	0.4	1.1	2.195	2.341	2.268	0.15	1.718	3.009	0.693	0.165	2.025	150.459	34.667	101.259	8.250
S-53	H8-3	50.000	0.388	0.4	1.1	2.341	2.486	2.414	0.15	1.864	3.237	0.693	0.165	2.253	161.867	34.667	112.667	8.250
	H8-4	50.000	0.388	0.4	1.1	2.486	2.632	2.559	0.15	2.009	3.470	0.693	0.165	2.486	173.487	34.667	124.287	8.250
S-55	H8-5	50.000	0.388	0.4	1.1	2.632	2.779	2.706	0.15	2.156	3.708	0.693	0.165	2.724	185.401	34.667	136.201	8.250
S-56	C5-1	50.000	0.388	0.4	1.1	2.050	2.048	2.049	0.15	1.499	2.674	0.693	0.165	1.890	133.687	34.667	84.487	8.250
	C5-2	50.000	0.388	0.4	1.1	2.048	2.050	2.049	0.15	1.499	2.674	0.693	0.165	1.890	133.687	34.667	84.487	8.250
S-65	C5-3	37.274	0.388	0.4	1.1	2.050	2.175	2.113	0.15	1.563	2.770	0.693	0.165	1.760	103.255	25.843	66.577	6.150
	C5-4	37.274	0.388	0.4	1.1	2.175	2.299	2.237	0.15	1.687	2.962	0.693	0.165	1.978	110.389	25.843	73.711	6.150
S-69	C5-5	37.274	0.388	0.4	1.1	2.299	2.451	2.375	0.15	1.825	3.176	0.693	0.165	2.192	118.401	25.843	81.723	6.150
	V15-1	50.000	0.388	0.4	1.1	2.050	2.053	2.052	0.15	1.502	2.678	0.693	0.165	1.694	133.878	34.667	84.678	8.250
S-60	V15-2	50.000	0.388	0.4	1.1	2.053	2.050	2.052	0.15	1.502	2.678	0.693	0.165	1.694	133.878	34.667	84.678	8.250
	V16-1	50.000	0.388	0.4	1.1	2.050	2.059	2.055	0.15	1.505	2.682	0.693	0.165	1.698	134.102	34.667	84.902	8.250
S-61	V16-2	50.000	0.388	0.4	1.1	2.059	2.050	2.055	0.15	1.505	2.682	0.693	0.165	1.698	134.102	34.667	84.902	8.250
	V17-1	50.000	0.388	0.4	1.1	2.050	2.051	2.051	0.15	1.501	2.676	0.693	0.165	1.692	133.800	34.667	84.600	8.250
S-62	V17-2	50.000	0.388	0.4	1.1	2.051	2.050	2.051	0.15	1.501	2.676	0.693	0.165	1.692	133.800	34.667	84.600	8.250
	V18-1	50.000	0.388	0.4	1.1	2.050	2.053	2.052	0.15	1.502	2.678	0.693	0.165	1.694	133.878	34.667	84.678	8.250
S-63	V18-2	50.000	0.388	0.4	1.1	2.053	2.050	2.052	0.15	1.502	2.678	0.693	0.165	1.694	133.878	34.667	84.678	8.250
	V19-1	50.000	0.388	0.4	1.1	2.050	2.054	2.052	0.15	1.502	2.678	0.693	0.165	1.694	133.895	34.667	84.695	8.250
S-66	V19-2	50.000	0.388	0.4	1.1	2.054	2.050	2.052	0.15	1.502	2.678	0.693	0.165	1.694	133.895	34.667	84.695	8.250
	H9-1	50.000	0.388	0.4	1.1	2.050	2.196	2.123	0.15	1.573	2.786	0.693	0.165	1.802	139.301	34.667	90.101	8.250
S-67	H9-2	52.259	0.388	0.4	1.1	2.196	2.347	2.272	0.15	1.722	3.015	0.693	0.165	2.031	157.548	36.233	106.125	8.623
	H9-3	10.377	0.388	0.4	1.1	2.347	2.378	2.362	0.15	1.812	1.577	0.693	0.165	1.812	32.758	7.195	22.547	1.712
S-68	H9-4	59.304	0.388	0.4	1.1	2.378	2.550	2.464	0.15	1.914	3.317	0.693	0.165	2.333	196.715	41.118	138.360	9.785
	H9-5	59.075	0.388	0.4	1.1	2.550	2.724	2.637	0.15	2.037	3.595	0.693	0.165	2.553	161.828	34.667	112.628	8.250
S-70	H9-6	52.694	0.388	0.4	1.1	2.724	2.899	2.811	0.15	2.261	3.883	0.693	0.165	2.899	204.610	36.535	152.759	8.695
	H10-1	50.000	0.388	0.4	1.1	2.050	2.187	2.119	0.15	1.569	2.779	0.693	0.165	1.795	138.598	34.667	89.758	8.250
S-71	H10-2	50.000	0.388	0.4	1.1	2.187	2.322	2.255	0.15	1.705	2.988	0.693	0.165	2.004	149.411	34.667	100.211	8.250
	H11-1	50.000	0.388	0.4	1.1	2.050	2.195	2.123	0.15	1.573	2.785	0.693	0.165	1.801	139.263	34.667	90.063	8.250
S-72	H11-2	50.000	0.388	0.4	1.1	2.195	2.340	2.268	0.15	1.718	3.008	0.693	0.165	2.024	150.420	34.667	101.220	8.250
	H11-3	50.000	0.388	0.4	1.1	2.340	2.486	2.413	0.15	1.863	3.237	0.693	0.165	2.253	161.828	34.667	112.628	8.250
S-73	H11-4	50.000	0.388	0.4	1.1	2.486	2.631	2.559	0.15	2.009	3.469	0.693	0.165	2.486	173.447	34.667	124.247	8.250
	H11-5	50.000	0.388	0.4	1.1	2.631	2.776	2.704	0.15	2.154	3.705	0.693	0.165	2.721	185.237	34.667	136.037	8.250
S-74	C6-1	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	1.691	133.763	34.667	84.663	8.250
	C6-2	50.000	0.388	0.4	1.1	2.050	2.049	2.050	0.15	1.500	2.674	0.693	0.165	1.690	133.725	34.667	84.625	8.250
S-80	C6-3	50.000	0.388	0.4	1.1	2.049	2.050	2.050	0.15	1.500	2.674	0.693	0.165	1.690	133.725	34.667	84.625	8.250
	C6-4	37.274	0.388	0.4	1.1	2.050	2.148	2.099	0.15	1.549	2.750	0.693	0.165	1.760	102.489	25.843	65.812	6.150
S-81	C6-5	37.274	0.388	0.4	1.1	2.148	2.246	2.197	0.15	1.647	2.900	0.693	0.165	1.916	108.058	25.843	70.843	6.150
	C6-6	37.274	0.388	0.4	1.1	2.246	2.363	2.304	0.15	1.754	3.066	0.693	0.165	2.082	114.281	25.843	77.603	6.150
S-77	V20-1	50.000	0.388	0.4	1.1	2.050	2.055	2.052	0.15	1.502	2.679	0.693	0.165	1.695	133.939	34.667	84.739	8.250
	V20-2	50.000	0.388	0.4	1.1	2.055	2.059	2.057	0.15	1.507	2.686	0.693	0.165	1.702	134.291	34.667	85.091	8.250
S-78	V21-1	50.000	0.388	0.4	1.1	2.059	2.050	2.055	0.15	1.505	2.682	0.693	0.165	1.698	134.115	34.667	84.915	8.250
	V21-2	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	1.691	133.750	34.667	84.550	8.250
S-79	V21-3	50.000	0.388	0.4	1.1	2.050	2.049	2.050	0.15	1.500	2.675	0.693	0.165	1.690	133.725	34.667	84.587	8.250
	V21-4	50.000	0.388	0.4	1.1	2.049	2.050	2.050	0.15	1.500	2.675	0.693	0.165	1.691	133.737	34.667	84.537	8.250
S-81	H12-1	50.000	0.388	0.4	1.1	2.050	2.195	2.123	0.15	1.573	2.785	0.693	0.165	1.801	139.263	34.667	90.063	8.250
	H12-2	9.763	0.38															

MEDICIÓN AUXILIAR

RED DE SANEAMIENTO

MEDICIÓN. RED DE SANEAMIENTO

TALUD 0.1

NOMBRE	PERFIL	D parcial	D int	D ext	BASE	H inicio	H final	H medio	EI	Rec. Med	S Exc	S Ar/Gr	S Horm	S Sselec	V Exc	V Ar/Gr	V Sselec	V Horm
S-108	H15-1	50.000	0.388	0.4	1.1	1.950	2.132	2.041	0.15	1.491	2.662	0.693	0.165	1.678	133,083	34.667	63.883	8.250
	H15-2	50.000	0.388	0.4	1.1	2.132	2.297	2.215	0.15	1.665	2.926	0.693	0.165	1.942	146,318	34.667	97.118	8.250
S-109	C12-1	50.000	0.388	0.4	1.1	2.150	2.150	2.150	0.15	1.800	2.827	0.693	0.165	1.843	141,363	34.667	92.163	8.250
	C12-2	50.000	0.388	0.4	1.1	2.150	2.150	2.150	0.15	1.383	2.383	0.693	0.165	1.428	123,445	34.667	81.276	8.250
S-111	C13-1	50.000	0.388	0.4	1.1	2.050	2.226	2.138	0.15	1.588	2.809	0.693	0.165	1.825	140,445	34.667	91.245	8.250
	C13-2	50.000	0.388	0.4	1.1	2.226	2.341	2.284	0.15	1.734	3.033	0.693	0.165	2.049	151,664	34.667	102,464	8.250
S-114	C13-3	37.151	0.388	0.4	1.1	2.341	2.033	2.187	0.15	1.637	2.884	0.693	0.165	1.900	107,144	25,758	70.887	6.130
	C13-4	37.151	0.388	0.4	1.1	2.033	1.726	1.880	0.15	1.330	2.421	0.693	0.165	1.437	89,932	25,758	53,376	6.130
S-115	C13-5	37.151	0.388	0.4	1.1	1.726	1.328	1.527	0.15	0.977	1.913	0.693	0.165	0.929	71,067	25,758	34,510	6.130
	V27-1	50.000	0.388	0.4	1.1	2.050	2.062	2.066	0.15	1.516	2.699	0.693	0.165	1.715	134,972	34.667	85,772	8.250
S-145	V27-2	50.000	0.388	0.4	1.1	2.062	2.060	2.066	0.15	1.516	2.699	0.693	0.165	1.715	134,972	34.667	85,772	8.250
	C14-1	50.000	0.388	0.4	1.1	2.200	2.249	2.225	0.15	1.675	2.940	0.693	0.165	1.958	147,090	34.667	97,890	8.250
S-146	C14-2	49.989	0.388	0.4	1.1	2.249	2.249	2.249	0.15	1.699	2.980	0.693	0.165	1.996	148,952	34.669	99,763	8.248
	C14-3	41.864	0.388	0.4	1.1	2.249	2.249	2.249	0.15	1.699	2.979	0.693	0.165	1.996	124,731	29,026	83,571	6.908
S-147	C14-4	41.864	0.388	0.4	1.1	2.249	2.248	2.249	0.15	1.699	2.979	0.693	0.165	1.996	124,731	29,026	83,576	6.908
	C14-5	41.864	0.388	0.4	1.1	2.248	2.249	2.249	0.15	1.699	2.979	0.693	0.165	1.996	125,721	29,026	83,526	6.908
S-140	C14-6	52.980	0.388	0.4	1.1	2.249	2.249	2.249	0.15	1.699	2.980	0.693	0.165	1.996	156,667	34,456	104,929	8,676
	C14-7	41.807	0.388	0.4	1.1	2.249	2.249	2.249	0.15	1.699	2.979	0.693	0.165	1.995	124,554	29,986	83,416	6.898
S-133	C14-8	41.807	0.388	0.4	1.1	2.249	2.248	2.248	0.15	1.699	2.979	0.693	0.165	1.995	124,536	29,986	83,398	6.898
	C14-9	41.807	0.388	0.4	1.1	2.248	2.249	2.249	0.15	1.699	2.979	0.693	0.165	1.995	124,549	29,986	83,411	6.898
S-112	C14-10	12.343	0.388	0.4	1.1	2.249	2.249	2.249	0.15	1.699	2.979	0.693	0.165	1.995	36,774	8,558	24,628	2.037
	C14-11	40.790	0.388	0.4	1.1	2.249	2.249	2.249	0.15	1.699	2.979	0.693	0.165	1.995	121,516	29,281	81,379	6.730
S-113	C14-12	40.790	0.388	0.4	1.1	2.249	2.254	2.251	0.15	1.701	2.983	0.693	0.165	1.999	121,684	29,281	81,547	6.730
	C14-13	40.790	0.388	0.4	1.1	2.254	2.249	2.251	0.15	1.701	2.983	0.693	0.165	1.999	121,695	29,281	81,557	6.730
S-129	C14-14	11.630	0.388	0.4	1.1	2.249	2.248	2.249	0.15	1.699	2.979	0.693	0.165	1.995	34,649	8,064	23,205	1.919
	C14-15	42.050	0.388	0.4	1.1	2.248	2.249	2.249	0.15	1.699	2.979	0.693	0.165	1.995	125,268	29,155	83,891	6.938
S-122	C14-16	42.050	0.388	0.4	1.1	2.249	2.249	2.249	0.15	1.699	2.979	0.693	0.165	1.995	125,279	29,155	83,902	6.938
	C14-17	42.050	0.388	0.4	1.1	2.249	2.248	2.249	0.15	1.699	2.980	0.693	0.165	1.996	125,292	29,155	83,913	6.938
S-116	C14-18	51.915	0.388	0.4	1.1	2.249	2.379	2.314	0.15	1.784	3.081	0.693	0.165	2.097	159,930	35,995	108,846	9,566
	C14-19	42.101	0.388	0.4	1.1	2.379	2.537	2.458	0.15	1.908	3.307	0.693	0.165	2.323	139,246	29,190	97,818	6.947
S-117	C14-20	42.101	0.388	0.4	1.1	2.537	2.616	2.576	0.15	2.066	3.561	0.693	0.165	2.577	149,934	29,190	108,506	6.947
	C14-21	42.101	0.388	0.4	1.1	2.695	2.854	2.774	0.15	2.224	3.821	0.693	0.165	2.837	160,866	29,190	119,439	6.947
S-118	C14-22	11.631	0.388	0.4	1.1	2.854	2.897	2.875	0.15	2.325	3.989	0.693	0.165	3.005	46,400	8,064	34,955	1.919
	C14-23	40.711	0.388	0.4	1.1	2.897	3.050	2.973	0.15	2.423	4.155	0.693	0.165	3.171	169,140	28,226	129,981	6.717
S-111	C14-24	40.711	0.388	0.4	1.1	3.050	3.203	3.126	0.15	2.576	4.416	0.693	0.165	3.432	179,781	29,110	139,311	6.717
	C14-25	40.711	0.388	0.4	1.1	3.203	3.356	3.279	0.15	2.729	4.683	0.693	0.165	3.699	190,632	28,226	150,573	6.717
S-111	C14-26	12.106	0.388	0.4	1.1	3.356	3.402	3.379	0.15	2.829	4.958	0.693	0.165	3.874	58,814	8,394	46,901	1.997
	C14-27	41.985	0.388	0.4	1.1	3.402	3.560	3.481	0.15	2.931	5.040	0.693	0.165	4.056	211,610	29,110	170,297	6.928
S-117	C14-28	41.985	0.388	0.4	1.1	3.560	3.717	3.638	0.15	3.088	5.326	0.693	0.165	4.342	223,613	29,110	182,300	6.928
	C14-29	41.985	0.388	0.4	1.1	3.717	3.867	3.842	0.15	3.292	5.703	0.693	0.165	4.719	239,424	29,110	198,111	6.928
S-118	C15-1	50.000	0.388	0.4	1.1	2.050	2.226	2.138	0.15	1.588	2.809	0.693	0.165	1.825	140,445	34.667	91.245	8.250
	C15-2	50.000	0.388	0.4	1.1	2.226	2.338	2.282	0.15	1.732	3.031	0.693	0.165	2.047	151,548	34.667	102,348	8.250
S-121	C15-3	29.323	0.388	0.4	1.1	2.338	2.088	2.213	0.15	1.663	2.824	0.693	0.165	1.930	87,743	20,331	56,889	4.838
	C15-4	29.323	0.388	0.4	1.1	2.088	1.838	1.963	0.15	1.413	2.545	0.693	0.165	1.529	74,620	20,331	45,766	4.838
S-119	C15-5	52.750	0.388	0.4	1.1	2.398	2.398	2.398	0.15	1.848	3.213	0.693	0.165	2.221	169,477	36,573	117,517	8.704
	C15-6	50.000	0.388	0.4	1.1	2.050	2.232	2.141	0.15	1.591	2.813	0.693	0.165	1.829	140,674	34.667	91,474	8.250
S-120	H16-2	50.000	0.388	0.4	1.1	2.232	2.386	2.315	0.15	1.765	3.082	0.693	0.165	2.098	154,122	34,867	104,921	8.250
	C15-7	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	1.691	133,763	34.667	84,563	8.250
S-123	V28-2	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	1.691	133,763	34.667	84,563	8.250
	C16-1	50.000	0.388	0.4	1.1	2.050	2.056	2.053	0.15	1.503	2.680	0.693	0.165	1.696	133,989	34.667	84,789	8.250
S-125	C16-2	50.000	0.388	0.4	1.1	2.056	2.050	2.053	0.15	1.503	2.680	0.693	0.165	1.696	133,989	34.667	84,789	8.250
	C16-3	29.695	0.388	0.4	1.1	2.050	2.051	2.050	0.15	1.500	2.676	0.693	0.165	1.692	79,483	20,589	50,233	4.900
S-126	C16-4	52.012	0.388	0.4	1.1	2.054	2.054	2.054	0.15	1.500	2.676	0.693	0.165	1.692	79,483	20,589	50,233	4.900
	C16-5	52.012	0.388	0.4	1.1	2.054	2.054	2.054	0.15	1.500	2.676	0.693	0.165	1.692	79,483	20,589	50,233	4.900
S-128	H17-1	50.000	0.388	0.4	1.1	2.050	2.044	2.047	0.15	1.497	2.671	0.693	0.165	1.687	133,536	34.667	84,336	8.250
	H17-2	50.000	0.388	0.4	1.1	2.044	2.054	2.049	0.15	1.499	2.674	0.693	0.165	1.690	133,687	34.667	84,487	8.250
S-127	V29-1	50.000	0.388	0.4	1.1	2.200	2.200	2.200	0.15	1.650	2.904	0.693	0.165	1.920	145,200	3		

MEDICIÓN AUXILIAR

RED DE SANEAMIENTO

MEDICIÓN. RED DE SANEAMIENTO

TALUD 0.1

NOMBRE	PERFIL	D parcial	D int	D ext	BASE	H inicio	H final	H medio	EI	Rec. Med	S Exc	S Ar/Gr	S Horm	S Sselec	V Exc	V Ar/Gr	V Sselec	V Horm
S-172	H20-1	50.000	0.388	0.4	1.1	2.050	2.241	2.146	0.15	1.896	2.820	0.693	0.165	1.836	141,018	34,667	91,818	8,250
	H20-2	50.000	0.388	0.4	1.1	2.241	2.431	2.336	0.15	1.786	3.115	0.693	0.165	2.131	155,764	34,667	106,564	8,250
S-173	H20-3	46.058	0.388	0.4	1.1	2.431	2.592	2.512	0.15	1.962	3.394	0.693	0.165	2.410	156,312	31,934	110,991	7,600
	H20-4	46.058	0.388	0.4	1.1	2.592	2.752	2.672	0.15	2.122	3.892	0.693	0.165	2.670	168,274	31,934	122,953	7,600
S-174	H21-1	50.000	0.388	0.4	1.1	2.050	2.241	2.146	0.15	1.896	2.820	0.693	0.165	1.836	141,018	34,667	91,818	8,250
	H21-2	50.000	0.388	0.4	1.1	2.241	2.431	2.336	0.15	1.786	3.115	0.693	0.165	2.131	155,764	34,667	106,564	8,250
S-175	H21-3	46.058	0.388	0.4	1.1	2.431	2.592	2.512	0.15	1.962	3.394	0.693	0.165	2.410	156,312	31,934	110,991	7,600
	H21-4	46.058	0.388	0.4	1.1	2.592	2.752	2.672	0.15	2.122	3.892	0.693	0.165	2.670	168,274	31,934	122,953	7,600
S-177	H21-5	46.058	0.388	0.4	1.1	2.752	2.916	2.834	0.15	2.284	3.921	0.693	0.165	2.937	180,589	31,934	135,268	7,600
	V43-1	47.393	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	1.691	126,788	32,859	80,153	7,820
S-182	V43-2	47.393	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	1.691	126,788	32,859	80,153	7,820
	V43-3	47.393	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	1.691	126,788	32,859	80,153	7,820
S-183	V43-4	41.650	0.388	0.4	1.1	2.241	2.277	2.259	0.15	1.709	2.995	0.693	0.165	2.011	124,760	28,877	83,777	6,872
	V43-5	41.650	0.388	0.4	1.1	2.277	2.272	2.275	0.15	1.725	3.020	0.693	0.165	2.036	124,796	28,854	84,330	6,819
S-184	V43-6	41.650	0.388	0.4	1.1	2.272	2.268	2.270	0.15	1.720	3.012	0.693	0.165	2.028	124,498	28,654	83,832	6,819
	V43-7	41.650	0.388	0.4	1.1	2.268	2.266	2.268	0.15	1.716	3.006	0.693	0.165	2.022	124,232	28,654	83,566	6,819
S-189	V43-8	41.650	0.388	0.4	1.1	2.264	2.260	2.262	0.15	1.712	3.000	0.693	0.165	2.016	123,967	28,654	83,300	6,819
	V43-9	12.812	0.388	0.4	1.1	2.260	2.275	2.268	0.15	1.718	3.008	0.693	0.165	2.024	123,544	28,654	82,883	25,937
S-190	V43-10	42.944	0.388	0.4	1.1	2.275	2.409	2.342	0.15	1.792	3.125	0.693	0.165	2.141	134,194	29,775	91,937	7,086
	V43-11	42.944	0.388	0.4	1.1	2.409	2.515	2.462	0.15	1.912	3.314	0.693	0.165	2.330	142,314	29,775	100,957	7,086
S-200	V43-12	42.944	0.388	0.4	1.1	2.515	2.488	2.501	0.15	1.951	3.377	0.693	0.165	2.393	143,032	29,775	102,175	7,086
	V43-13	42.944	0.388	0.4	1.1	2.488	2.463	2.476	0.15	1.926	3.336	0.693	0.165	2.352	143,258	29,775	101,002	7,086
S-178	V43-14	9.890	0.388	0.4	1.1	2.463	2.462	2.462	0.15	1.912	3.315	0.693	0.165	2.331	32,784	6,857	23,052	1,632
	V43-15	37.267	0.388	0.4	1.1	2.462	2.457	2.459	0.15	1.909	3.310	0.693	0.165	2.326	123,356	25,839	86,685	6,149
S-179	V43-16	37.267	0.388	0.4	1.1	2.457	2.453	2.455	0.15	1.905	3.303	0.693	0.165	2.319	123,099	25,839	86,428	6,149
	V43-17	37.267	0.388	0.4	1.1	2.453	2.434	2.444	0.15	1.894	3.285	0.693	0.165	2.301	122,428	25,839	85,757	6,149
S-180	H22-1	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	1.691	126,788	32,859	80,153	7,820
	H22-2	50.000	0.388	0.4	1.1	2.051	2.050	2.050	0.15	1.500	2.676	0.693	0.165	1.692	123,781	34,667	84,581	8,250
S-179	V44-1	50.000	0.388	0.4	1.1	2.210	2.205	2.208	0.15	1.658	2.916	0.693	0.165	1.932	145,778	34,667	96,578	8,250
	V44-2	50.000	0.388	0.4	1.1	2.205	2.199	2.202	0.15	1.652	2.907	0.693	0.165	1.923	145,354	34,667	96,154	8,250
S-180	V44-3	50.000	0.388	0.4	1.1	2.199	2.194	2.197	0.15	1.647	2.899	0.693	0.165	1.915	144,931	34,667	95,731	8,250
	V44-4	50.000	0.388	0.4	1.1	2.194	2.230	2.212	0.15	1.662	2.922	0.693	0.165	1.938	146,125	34,667	96,925	8,250
S-181	V44-5	50.000	0.388	0.4	1.1	2.230	2.224	2.227	0.15	1.677	2.946	0.693	0.165	1.963	147,283	34,667	98,083	8,250
	V44-6	50.000	0.388	0.4	1.1	2.224	2.219	2.222	0.15	1.672	2.937	0.693	0.165	1.953	146,858	34,667	97,658	8,250
S-188	V44-7	50.000	0.388	0.4	1.1	2.219	2.214	2.217	0.15	1.667	2.929	0.693	0.165	1.945	146,427	34,667	97,272	8,250
	V44-8	12.845	0.388	0.4	1.1	2.240	2.262	2.251	0.15	1.701	2.983	0.693	0.165	1.999	148,314	34,667	100,264	2,119
S-191	V44-9	29.773	0.388	0.4	1.1	2.262	2.370	2.316	0.15	1.766	3.084	0.693	0.165	2.100	191,811	20,643	162,515	4,913
	V44-10	29.773	0.388	0.4	1.1	2.370	2.476	2.423	0.15	1.873	3.252	0.693	0.165	2.289	206,660	20,606	177,415	4,904
S-192	V44-11	30.140	0.388	0.4	1.1	2.476	2.541	2.508	0.15	1.960	3.401	0.693	0.165	2.441	220,541	20,606	192,541	4,973
	V44-12	30.140	0.388	0.4	1.1	2.541	2.541	2.542	0.15	1.992	3.442	0.693	0.165	2.458	203,756	20,897	174,099	4,973
S-193	V44-13	51.927	0.388	0.4	1.1	2.541	2.536	2.538	0.15	1.988	3.436	0.693	0.165	2.452	178,419	36,003	127,323	8,668
	V44-14	10.127	0.388	0.4	1.1	2.535	2.535	2.535	0.15	1.985	3.430	0.693	0.165	2.447	174,746	36,003	122,781	1,671
S-194	V44-15	29.835	0.388	0.4	1.1	2.535	2.531	2.533	0.15	1.983	3.428	0.693	0.165	2.444	102,268	20,686	72,910	4,923
	V44-16	29.835	0.388	0.4	1.1	2.531	2.527	2.529	0.15	1.979	3.422	0.693	0.165	2.438	102,089	20,686	72,732	4,923
S-204	V44-17	52.112	0.388	0.4	1.1	2.527	2.521	2.524	0.15	1.974	3.414	0.693	0.165	2.431	101,910	20,686	72,554	4,923
	H23-1	50.000	0.388	0.4	1.1	2.050	2.061	2.056	0.15	1.506	2.684	0.693	0.165	1.700	134,178	34,667	84,978	8,250
S-181	H23-2	50.000	0.388	0.4	1.1	2.061	2.050	2.056	0.15	1.506	2.684	0.693	0.165	1.700	134,178	34,667	84,978	8,250
	H24-1	50.000	0.388	0.4	1.1	2.050	2.051	2.051	0.15	1.501	2.676	0.693	0.165	1.692	133,800	34,667	84,600	8,250
S-184	H24-2	50.000	0.388	0.4	1.1	2.051	2.050	2.051	0.15	1.501	2.676	0.693	0.165	1.692	133,800	34,667	84,600	8,250
	H25-1	50.000	0.388	0.4	1.1	2.050	2.079	2.065	0.15	1.515	2.697	0.693	0.165	1.713	134,858	34,667	85,658	8,250
S-186	H25-2	50.000	0.388	0.4	1.1	2.079	2.113	2.096	0.15	1.546	2.745	0.693	0.165	1.745	137,248	34,667	88,045	8,250
	H26-1	50.000	0.388	0.4	1.1	2.050	2.048	2.050	0.15	1.500	2.674	0.693	0.165	1.693	133,725	34,667	84,525	8,250
S-187	H26-2	50.000	0.388	0.4	1.1	2.049	2.050	2.050	0.15	1.500	2.674	0.693	0.165	1.690	133,725	34,667	84,525	8,250
	H27-1	50.000	0.388	0.4	1.1	2.050	2.079	2.065	0.15	1.515	2.697	0.693	0.165	1.713	134,858	34,667	85,658	8,250
S-190	H27-2	50.000	0.388	0.4	1.1	2.079	2.117	2.098	0.15	1.548	2.748	0.693	0.165	1.764	137,398	34,667	88,198	8,250
	H28-1	50.000	0.388	0.4	1.1	2.050	2.165	2.108	0.15	1.558	2.762	0.693	0.165	1.778	138,120	34,667	88,920	8,250
S-192	H28-2	50.000	0.388	0.4	1.1	2.165	2.293	2.229	0.15	1.679	2.949	0.693	0.165	1.965	14			

MEDICIÓN AUXILIAR

RED DE SANEAMIENTO

MEDICIÓN. RED DE SANEAMIENTO

TALUD 0.1

NOMBRE	PERFIL	D parcial	D int	D ext	BASE	H inicio	H final	H medio	EI	Rec. Med	S Exc	S ArGr	S Horm	S Sselec	V Exc	V ArGr	V Sselec	V Horm	
S-212	C25-1	50.000	0.388	0.4	1.1	2.500	2.500	2.500	0.15	1.957	3.388	0.693	0.165	0.693	2.402	169.290	34.667	120.090	8.250
	C25-2	50.000	0.388	0.4	1.1	2.514	2.514	2.507	0.15	1.971	3.388	0.693	0.165	0.693	2.402	169.290	34.667	120.090	8.250
	C25-3	37.127	0.388	0.4	1.1	2.500	2.449	2.475	0.15	1.925	3.335	0.693	0.165	0.693	2.351	123.803	25.741	87.270	6.126
	C25-4	37.127	0.388	0.4	1.1	2.449	2.399	2.424	0.15	1.874	3.254	0.693	0.165	0.693	2.270	120.815	25.741	84.282	6.126
	C25-5	50.000	0.388	0.4	1.1	2.500	2.500	2.500	0.15	1.957	3.388	0.693	0.165	0.693	2.402	169.290	34.667	120.090	8.250
S-214	V48-1	32.577	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	87.152	22.887	55.096	5.375
	V48-2	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.763	34.667	84.563	8.250
	V48-3	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.763	34.667	84.563	8.250
	V48-4	43.077	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	115.242	29.867	79.854	7.108
	V48-5	43.077	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	115.242	29.867	79.854	7.108
	V48-6	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.763	34.667	84.563	8.250
S-219	V47-1	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.763	34.667	84.563	8.250
	V47-2	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.763	34.667	84.563	8.250
	V47-3	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.763	34.667	84.563	8.250
	V47-4	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.763	34.667	84.563	8.250
	V47-5	34.367	0.388	0.4	1.1	2.050	2.063	2.057	0.15	1.507	2.688	0.693	0.165	0.693	1.701	92.278	23.828	58.461	5.671
	V47-6	34.367	0.388	0.4	1.1	2.050	2.063	2.057	0.15	1.507	2.688	0.693	0.165	0.693	1.701	92.278	23.828	58.461	5.671
S-223	V48-1	50.000	0.388	0.4	1.1	1.750	1.754	1.757	0.15	1.207	2.241	0.693	0.165	0.693	1.257	112.052	34.667	62.852	8.250
	V48-2	50.000	0.388	0.4	1.1	1.764	1.760	1.757	0.15	1.207	2.241	0.693	0.165	0.693	1.257	112.052	34.667	62.852	8.250
	H35-1	50.000	0.388	0.4	1.1	2.050	2.068	2.059	0.15	1.509	2.699	0.693	0.165	0.693	1.705	134.442	34.667	85.242	8.250
	H35-2	48.981	0.388	0.4	1.1	2.068	2.086	2.076	0.15	1.527	2.718	0.693	0.165	0.693	1.732	133.297	34.667	85.238	8.244
S-225	H36-1	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.744	34.667	84.544	8.250
	H36-2	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.744	34.667	84.544	8.250
	H37-1	50.000	0.388	0.4	1.1	2.050	2.062	2.056	0.15	1.506	2.684	0.693	0.165	0.693	1.700	134.216	34.667	85.016	8.250
	H37-2	50.000	0.388	0.4	1.1	2.062	2.068	2.065	0.15	1.507	2.684	0.693	0.165	0.693	1.703	134.216	34.667	85.016	8.250
S-227	H38-1	50.000	0.388	0.4	1.1	2.050	2.053	2.051	0.15	1.501	2.677	0.693	0.165	0.693	1.693	133.857	34.667	84.657	8.250
	H38-2	50.000	0.388	0.4	1.1	2.053	2.050	2.051	0.15	1.501	2.677	0.693	0.165	0.693	1.693	133.857	34.667	84.657	8.250
	C26-1	50.000	0.388	0.4	1.1	2.050	2.070	2.060	0.15	1.510	2.690	0.693	0.165	0.693	1.706	134.518	34.667	85.318	8.250
	C26-2	50.000	0.388	0.4	1.1	2.070	2.071	2.071	0.15	1.521	2.706	0.693	0.165	0.693	1.721	135.121	34.667	85.712	8.250
	C26-3	37.178	0.388	0.4	1.1	2.071	2.075	2.073	0.15	1.523	2.710	0.693	0.165	0.693	1.726	100.761	25.747	64.178	6.134
	C26-4	37.230	0.388	0.4	1.1	2.075	2.080	2.077	0.15	1.527	2.717	0.693	0.165	0.693	1.733	101.144	25.813	64.510	6.143
	C26-5	37.230	0.388	0.4	1.1	2.075	2.080	2.077	0.15	1.527	2.717	0.693	0.165	0.693	1.733	101.144	25.813	64.510	6.143
S-231	C27-1	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.744	34.667	84.544	8.250
	C27-2	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.744	34.667	84.544	8.250
	C27-3	29.410	0.388	0.4	1.1	2.086	2.086	2.086	0.15	1.536	2.730	0.693	0.165	0.693	1.746	80.279	20.391	51.340	4.853
	C27-4	29.410	0.388	0.4	1.1	2.086	2.086	2.086	0.15	1.536	2.730	0.693	0.165	0.693	1.746	80.279	20.391	51.340	4.853
S-233	C27-5	10.342	0.388	0.4	1.1	2.086	2.086	2.086	0.15	1.536	2.730	0.693	0.165	0.693	1.746	28.230	7.170	18.053	1.708
	C27-6	52.226	0.388	0.4	1.1	2.086	2.086	2.086	0.15	1.536	2.730	0.693	0.165	0.693	1.746	142.557	36.210	91.167	8.617
	C27-7	29.670	0.388	0.4	1.1	2.086	2.086	2.086	0.15	1.536	2.730	0.693	0.165	0.693	1.746	81.000	20.571	51.805	4.896
	C27-8	29.670	0.388	0.4	1.1	2.086	2.086	2.086	0.15	1.536	2.730	0.693	0.165	0.693	1.746	81.000	20.571	51.805	4.896
S-236	V49-1	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.744	34.667	84.544	8.250
	V49-2	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.744	34.667	84.544	8.250
	V49-3	34.117	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	91.272	23.655	57.700	5.676
	V49-4	34.117	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	91.272	23.655	57.700	5.676
	V49-5	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.763	34.667	84.563	8.250
	V49-6	50.000	0.388	0.4	1.1	2.050	2.050	2.050	0.15	1.500	2.675	0.693	0.165	0.693	1.691	133.763	34.667	84.563	8.250
S-240	H39-1	50.000	0.388	0.4	1.1	1.850	1.850	1.850	0.15	1.316	2.400	0.693	0.165	0.693	1.368	120.940	34.667	70.003	8.250
	H39-2	50.000	0.388	0.4	1.1	1.881	1.910	1.896	0.15	1.346	2.444	0.693	0.165	0.693	1.461	128.171	34.667	73.017	8.250
	H39-3	50.000	0.388	0.4	1.1	2.050	2.128	2.089	0.15	1.539	2.734	0.693	0.165	0.693	1.750	136.715	34.667	87.515	8.250
	H39-4	50.000	0.388	0.4	1.1	2.128	2.204	2.166	0.15	1.616	2.862	0.693	0.165	0.693	1.868	142.588	34.667	93.388	8.250
S-242	H40-1	50.000	0.388	0.4	1.1	1.750	1.815	1.833	0.15	1.283	2.322	0.693	0.165	0.693	1.311	115.910	34.667	60.918	8.250
	H40-2	50.000	0.388	0.4	1.1	1.915	2.084	2.000	0.15	1.450	2.596	0.693	0.165	0.693	1.615	129.983	34.667	80.763	8.250
S-243	H41-1	50.000	0.388	0.4	1.1	1.750	1.915	1.833	0.15	1.283	2.322	0.693	0.165	0.693	1.311	117.578	34.667	68.378	8.250
	H41-2	50.000	0.388	0.4	1.1	1.915	2.075	1.995	0.15	1.445	2.593	0.693	0.165	0.693	1.609	129.625	34.667	80.422	8.250
S-244	H42-1	50.000	0.388	0.4	1.1	1.898	1.898												

MEDICIÓN AUXILIAR

RED DE SANEAMIENTO

MEDICIÓN. RED DE SANEAMIENTO

NOMBRE	D ext	LONG	LONGITUDES		POZOS
			Ø 400	Ø 500	TIPO Ø 80
S-1	0.4	150	150	0	3
S-2	0.4	100	100	0	2
S-3	0.4	100	100	0	2
S-4	0.4	100	100	0	2
S-5	0.4	111,738	111,738	0	3
S-6	0.4	100	100	0	2
S-7	0.4	50	50	0	1
S-8	0.4	100	100	0	2
S-9	0.4	69,369	69,369	0	3
S-10	0.4	100	100	0	2
S-11	0.4	112,026	112,026	0	3
S-12	0.4	112,745	112,745	0	3
S-13	0.4	100	100	0	2
S-14	0.4	50	50	0	1
S-15	0.4	85,831	85,831	0	2
S-16	0.4	50	50	0	1
S-17	0.4	50	50	0	1
S-18	0.4	50	50	0	1
S-19	0.4	100	100	0	2
S-20	0.4	125,745	125,745	0	3
S-21	0.4	111,822	111,822	0	2
S-22	0.4	100	100	0	2
S-23	0.4	100	100	0	2
S-24	0.4	100	100	0	2
S-25	0.4	100	100	0	2
S-26	0.4	100	100	0	2
S-27	0.4	100	100	0	2
S-28	0.4	178,228	178,228	0	3
S-29	0.4	50	50	0	1
S-30	0.4	53,232	53,232	0	1
S-31	0.4	69,072	69,072	0	2
S-32	0.4	60,207	60,207	0	1
S-33	0.4	52,618	52,618	0	1
S-34	0.4	100	100	0	2
S-35	0.4	100	100	0	2
S-36	0.4	100	100	0	2
S-37	0.4	50	50	0	1
S-38	0.4	100	100	0	2
S-39	0.4	133,935	133,935	0	4
S-40	0.4	133,857	133,857	0	3
S-41	0.4	100	100	0	2
S-42	0.4	100	100	0	2
S-43	0.4	100	100	0	2
S-44	0.4	100	100	0	2
S-45	0.4	133,856	133,856	0	4
S-46	0.4	111,822	111,822	0	2
S-47	0.4	50	50	0	1
S-48	0.4	52,592	52,592	0	1
S-49	0.4	128,938	128,938	0	4
S-50	0.4	53,091	53,091	0	1
S-51	0.4	100	100	0	2
S-52	0.4	50	50	0	1
S-53	0.4	100	100	0	2
S-54	0.4	50	50	0	1
S-55	0.4	50	50	0	1
S-56	0.4	100	100	0	2
S-57	0.4	138,072	138,072	0	4
S-58	0.4	138,023	138,023	0	3
S-59	0.4	100	100	0	2
S-60	0.4	100	100	0	2
S-61	0.4	100	100	0	2
S-62	0.4	100	100	0	2
S-63	0.4	100	100	0	2
S-64	0.4	138,024	138,024	0	4
S-65	0.4	111,822	111,822	0	3
S-66	0.4	50	50	0	1
S-67	0.4	52,259	52,259	0	1
S-68	0.4	69,681	69,681	0	2
S-69	0.4	59,875	59,875	0	1
S-70	0.4	52,694	52,694	0	1
S-71	0.4	100	100	0	2
S-72	0.4	100	100	0	2
S-73	0.4	150	150	0	3
S-74	0.4	150	150	0	3
S-75	0.4	223,791	223,791	0	5
S-76	0.4	224,062	224,062	0	6
S-77	0.4	150	150	0	3
S-78	0.4	150	150	0	3
S-79	0.4	224,064	224,064	0	6
S-80	0.4	111,822	111,822	0	3
S-81	0.4	50	50	0	1
S-82	0.4	181,903	181,903	0	5
S-83	0.4	100	100	0	2
S-84	0.4	100	100	0	2
S-85	0.4	150	150	0	3
S-86	0.4	100	100	0	2
S-87	0.4	121,921	121,921	0	4
S-88	0.4	121,605	121,605	0	3
S-89	0.4	100	100	0	2
S-90	0.4	100	100	0	2
S-91	0.4	121,822	121,822	0	4
S-92	0.4	111,822	111,822	0	3
S-93	0.4	164,127	164,127	0	4
S-94	0.4	181,903	181,903	0	5
S-95	0.4	100	100	0	2
S-96	0.4	100	100	0	2
S-97	0.4	100	100	0	2
S-98	0.4	111,387	111,387	0	3
S-99	0.4	100	100	0	2
S-100	0.4	111,093	111,093	0	3

MEDICIÓN AUXILIAR

RED DE SANEAMIENTO

MEDICIÓN. RED DE SANEAMIENTO

NOMBRE	D ext	LONG	LONGITUDES		POZOS
			Ø 400	Ø 500	TIPO Ø 80
S-101	0.4	100	100	0	2
S-102	0.4	150	150	0	3
S-103	0.4	111,822	111,822	0	3
S-104	0.4	163,86	163,86	0	4
S-105	0.4	182,168	182,168	0	5
S-106	0.4	100	100	0	2
S-107	0.4	59,474	59,474	0	2
S-108	0.4	100	100	0	2
S-109	0.4	50	50	0	1
S-110	0.4	51,978	51,978	0	1
S-111	0.4	138,061	138,061	0	4
S-112	0.4	50	50	0	1
S-113	0.4	100	100	0	2
S-114	0.4	111,453	111,453	0	3
S-115	0.4	100	100	0	2
S-116	0.4	133,764	133,764	0	4
S-117	0.4	100	100	0	2
S-118	0.4	58,645	58,645	0	2
S-119	0.4	100	100	0	2
S-120	0.4	50	50	0	1
S-121	0.4	52,75	52,75	0	1
S-122	0.4	178,218	178,218	0	4
S-123	0.4	50	50	0	1
S-124	0.4	100	100	0	2
S-125	0.4	59,39	59,39	0	2
S-126	0.4	100	100	0	2
S-127	0.4	50	50	0	1
S-128	0.4	52,012	52,012	0	1
S-129	0.4	137,78	137,78	0	4
S-130	0.4	50	50	0	1
S-131	0.4	100	100	0	2
S-132	0.4	111,441	111,441	0	3
S-133	0.4	134,713	134,713	0	4
S-134	0.4	100	100	0	2
S-135	0.4	100	100	0	2
S-136	0.4	58,83	58,83	0	2
S-137	0.4	100	100	0	2
S-138	0.4	49,989	49,989	0	1
S-139	0.4	52,649	52,649	0	1
S-140	0.4	178,001	178,001	0	4
S-141	0.4	50,011	50,011	0	1
S-142	0.4	100	100	0	2
S-143	0.4	58,35	58,35	0	1
S-144	0.4	100	100	0	2
S-145	0.4	50	50	0	1
S-146	0.4	53,52	53,52	0	1
S-147	0.4	125,592	125,592	0	3
S-148	0.4	49,989	49,989	0	1
S-149	0.4	150	150	0	3
S-150	0.4	198,895	198,895	0	5
S-151	0.4	122,549	122,549	0	3
S-152	0.4	50	50	0	1
S-153	0.4	50	50	0	1
S-154	0.4	137,705	137,705	0	4
S-155	0.4	50	50	0	1
S-156	0.4	50	50	0	1
S-157	0.4	178	178	0	4
S-158	0.4	50	50	0	1
S-159	0.4	182,967	182,967	0	4
S-160	0.4	134,712	134,712	0	4
S-161	0.4	50	50	0	1
S-162	0.4	50	50	0	1
S-163	0.4	137,781	137,781	0	4
S-164	0.4	50	50	0	1
S-165	0.4	50	50	0	1
S-166	0.4	178,218	178,218	0	4
S-167	0.4	50	50	0	1
S-168	0.4	50,079	50,079	0	1
S-169	0.4	121,822	121,822	0	4
S-170	0.4	150	150	0	3
S-171	0.4	104,244	104,244	0	2
S-172	0.4	100	100	0	2
S-173	0.4	138,175	138,175	0	3
S-174	0.4	100	100	0	2
S-175	0.4	138,175	138,175	0	3
S-176	0.4	178,632	178,632	0	5
S-177	0.4	142,179	142,179	0	3
S-178	0.4	100	100	0	2
S-179	0.4	200	200	0	4
S-180	0.4	150	150	0	3
S-181	0.4	100	100	0	2
S-182	0.4	206,96	206,96	0	5
S-183	0.4	206,98	206,98	0	4
S-184	0.4	100	100	0	2
S-185	0.4	100	100	0	2
S-186	0.4	100	100	0	2
S-187	0.4	100	100	0	2
S-188	0.4	72,338	72,338	0	3
S-189	0.4	184,587	184,587	0	5
S-190	0.4	100	100	0	2
S-191	0.4	60,28	60,28	0	2
S-192	0.4	100	100	0	2
S-193	0.4	51,927	51,927	0	1
S-194	0.4	100	100	0	2
S-195	0.4	100	100	0	2
S-196	0.4	184,568	184,568	0	4
S-197	0.4	100	100	0	2
S-198	0.4	100	100	0	2
S-199	0.4	69,797	69,797	0	3
S-200	0.4	121,691	121,691	0	4

MEDICIÓN AUXILIAR

RED DE SANEAMIENTO

MEDICIÓN. RED DE SANEAMIENTO

NOMBRE	D ext	LONG	LONGITUDES		POZOS
			Ø 400	Ø 500	TIPO Ø 80
S-201	0.4	121,842	121,842	0	3
S-202	0.5	153,702	0	153,702	2
S-203	0.4	100	100	0	2
S-204	0.4	52,112	52,112	0	1
S-205	0.5	134,193	0	134,193	4
S-206	0.4	100	100	0	2
S-207	0.4	125,988	125,988	0	3
S-208	0.4	111,383	111,383	0	3
S-209	0.4	100	100	0	2
S-210	0.4	100	100	0	2
S-211	0.4	134,195	134,195	0	4
S-212	0.4	111,078	111,078	0	3
S-213	0.4	100	100	0	2
S-214	0.4	32,577	32,577	0	1
S-215	0.4	50	50	0	1
S-216	0.4	50	50	0	1
S-217	0.4	86,155	86,155	0	2
S-218	0.4	50	50	0	1
S-219	0.4	100	100	0	2
S-220	0.4	50	50	0	1
S-221	0.4	50	50	0	1
S-222	0.4	68,734	68,734	0	2
S-223	0.4	100	100	0	2
S-224	0.4	99,961	99,961	0	2
S-225	0.4	100	100	0	2
S-226	0.4	100	100	0	2
S-227	0.4	100	100	0	2
S-228	0.5	137,914	0	137,914	4
S-229	0.4	100	100	0	2
S-230	0.4	190,099	190,099	0	5
S-231	0.4	100	100	0	2
S-232	0.4	58,821	58,821	0	2
S-233	0.4	62,568	62,568	0	2
S-234	0.4	59,341	59,341	0	2
S-235	0.4	111,689	111,689	0	3
S-236	0.4	100	100	0	2
S-237	0.4	68,234	68,234	0	2
S-238	0.4	50	50	0	1
S-239	0.4	50	50	0	1
S-240	0.4	100	100	0	2
S-241	0.4	100	100	0	2
S-242	0.4	100	100	0	2
S-243	0.4	100	100	0	2
S-244	0.4	100	100	0	2
S-245	0.5	178,172	0	178,172	4
S-246	0.4	100	100	0	2
S-247	0.4	125,988	125,988	0	3
S-248	0.4	100	100	0	2
S-249	0.4	58,891	58,891	0	2
S-250	0.4	63,505	63,505	0	2
S-251	0.4	58,452	58,452	0	2
S-252	0.4	111,98	111,98	0	3
S-253	0.4	50	50	0	1
S-254	0.4	130,754	130,754	0	3
S-255	0.4	50	50	0	1
S-256	0.4	50	50	0	1
S-257	0.4	100	100	0	2
S-258	0.4	100	100	0	2
S-259	0.4	100	100	0	2
S-260	0.4	100	100	0	2
S-261	0.4	100	100	0	2
S-262	0.5	133,892	0	133,892	4
S-263	0.4	100	100	0	2
S-264	0.4	133,892	133,892	0	4
S-265	0.4	49,939	49,939	0	1
S-266	0.4	112,763	112,763	0	3
S-267	0.4	63,3	63,3	0	2
S-268	0.4	58,609	58,609	0	2
S-269	0.4	111,896	111,896	0	3
S-270	0.4	50	50	0	1
S-271	0.4	99,92	99,92	0	2
S-272	0.4	100,141	100,141	0	2
S-273	0.4	100	100	0	2
S-274	0.4	100	100	0	2
S-275	0.4	100	100	0	2
S-276	0.4	100	100	0	2
S-277	0.5	189,878	0	189,878	5
S-278	0.4	100	100	0	2
S-279	0.4	189,878	189,878	0	5
S-280	0.4	100	100	0	2
S-281	0.4	59,194	59,194	0	2
S-282	0.4	121,91	121,91	0	4
S-283	0.4	111,942	111,942	0	3
S-284	0.4	100	100	0	2
S-285	0.4	58,806	58,806	0	2
S-286	0.4	121,884	121,884	0	3
S-287	0.5	52,384	0	52,384	1
S-288	0.4	111,851	111,851	0	3
S-289	0.4	100	100	0	2
S-290	0.4	100	100	0	2
S-291	0.4	150	150	0	3
S-292	0.4	50	50	0	1
S-293	0.4	48,887	48,887	0	1
S-294	0.4	138,107	138,107	0	3
S-295	0.4	100	100	0	2
S-296	0.4	40	40	0	1
S-297	0.4	147,652	147,652	0	3
S-298	0.4	164,031	164,031	0	4
S-299	0.4	39,857	39,857	0	1
S-300	0.5	52,198	0	52,198	1



MEDICIÓN AUXILIAR

RED DE SANEAMIENTO

MEDICIÓN. RED DE SANEAMIENTO

NOMBRE	D ext	LONG	LONGITUDES		POZOS
			Ø 400	Ø 500	TIPO Ø 80
S-301	0.4	111,893	111,893	0	3
S-302	0.5	153,693	0	153,693	5
S-303	0.4	128,265	128,265	0	3
S-304	0.4	52,62	52,62	0	1
B-1	0.4	26,333	26,333	0	2
B-2	0.4	25,65	25,65	0	1
elevación 1					
impulsión 2					
<b>TOTAL</b>			<b>29403,784</b>	<b>1186,026</b>	<b>705</b>